


LOW PROFILE

How To Order/Price

1. TOP	MPT(RVM)	FPT(RVLF)	HB(RVB)	\$ _____
	PTC (RJG)	MPT X HB (RVMB)		
	1/4"(44)	3/8"(66)	1/2"(88)	
	POLY(P)	NYLON(N)		
2. GASKET	EPDM(E)	VITON(V)	BUNA(B)	\$ _____
3. SCREEN	20M(20)	40M(40)	80M(80)	\$ _____
4. BOWL	POLY(P)	NYLON(N)	CLEAR(C)	\$ _____
EXAMPLE: RVM 44 P E 40 P				

Total \$ _____




FILTER AREA - 3.95 SQ IN

 MPT X MPT Nylon Available	LOW PROFILE STRAINER PARTS						
	COMPONENT(1)	SIZE/PORT	NYLON #	LIST/EA	POLYPRO #	LIST/EA	
	TOP	1/8" MPT	RVM22TN	4.64	RVM22TP	CALL	
	TOP	1/4" MPT	RVM44TN	4.64	RVM44TP	4.64	
	TOP	3/8" MPT	RVM66TN	4.64	RVM66TP	4.64	
 HB X HB Nylon Available	TOP	1/4" HB	RVB44TN	5.32	RVB44TP	5.32	
	TOP	3/8" HB	RVB66TN	5.32	RVB66TP	5.32	
	TOP	1/2" HB	RVB88TN	5.32	RVB88TP	5.32	
 FPT X FPT Nylon Available	TOP	1/8" FPT	RVLF22TN	7.77	RVLF22TP	5.91	
	TOP	1/4" FPT	RVLF44TN	7.77	RVLF44TP	5.91	
	TOP	3/8" FPT	RVLF66TN	7.77	RVLF66TP	5.91	
	TOP	1/2" FPT	RVLF88TN	7.77	RVLF88TP	5.91	
 Push To Connect Nylon Available	TOP	1/4" PTC	RJG44TN	20.00	RJG44TP	25.21	
	TOP	3/8" PTC	RJG66TN	25.32	RJG66TP	25.32	
 MPT X HB	TOP	3/8" MPT X 3/8" HB			RVMB66TP	5.41	
	TOP	1/2" MPT X 1/2" HB			RVMB88TP	4.86	
	2						
	GASKET	BUNA	0 F	BLACK	RVM44GB	.55	
	GASKET	EPDM	-40 F	RED	RVM44GE	.55	
 20 40 80 250 Non caged screens availalbe in sizes 20, 40, 80 & 250  Polyeth	3						
	COMPONENT(3)	MATERIAL	MESH*	MICRON+	ID" x L"	PART #	LIST/EA
	SCREEN	ST STEEL	20	915	.94 x 1.34	RVM4420	2.14
	SCREEN	ST STEEL CAGED	20	915	"	RVM4420C	2.95
	SCREEN	ST STEEL	40	480	"	RVM4440	2.14
	SCREEN	ST STEEL CAGED	40	480	"	RVM4440C	2.95
	SCREEN	ST STEEL	80	178	"	RVM4480	2.14
	SCREEN	ST STEEL CAGED	80	178	"	RVM4480C	2.95
	SCREEN	ST STEEL	100	80	"	RVM44100	5.68
	SCREEN	ST STEEL	250	40	"	RVM44250	5.73
	SCREEN	ST STEEL CAGED	250	40	"	RVM44250C	3.95
	SCREEN	POLYETH		90		RVM4490PE	3.82
	*Mesh is defined as the number of wires per linear inch measured from center of wire to center of wire. +Micron is defined as one thousandth of a millimeter.						
 POLY CLEAR NYLON	4						
	COMPONENT(4)	MATERIAL		PART #		LIST/EA	
	BOWL	NYLON		RVM44BN		5.50	
	BOWL	POLYPRO		RVM44BP		4.23	
BOWL		CLEAR NYLON		RVM44BC		4.14	

MINI STRAINER


How To Order/Price



1. TOP	MPT(RVM)	FPT(RVLF)	HB(RVB)	\$ _____
	1/4"(445)	3/8"(665)	1/2"(885)	
	POLY(P)	NYLON(N)		
2. GASKET	EPDM(E)	VITON(V)	BUNA(B)	\$ _____
3. SCREEN	20M(20)	40M(40)	80M(80)	\$ _____
4. BOWL	POLY(P)	NYLON(N)	CLEAR(C)	\$ _____
EXAMPLE: RVM 445 P E 40 P				
Total \$ _____				

 MPT X MPT Nylon Available		MINI STRAINER PARTS						
		COMPONENT(1)	SIZE/PORT	NYLON #	LIST/EA	POLYPRO #	LIST/EA	
		TOP	1/8" MPT	RVM22TN	4.64	RVM22TP	CALL	
		TOP	1/4" MPT	RVM44TN	4.64	RVM44TP	4.64	
		TOP	3/8" MPT	RVM66TN	4.64	RVM66TP	4.64	
		TOP	1/2" MPT	RVM88TN	4.64	RVM88TP	4.64	
 HB X HB Nylon Available		TOP	1/4" HB	RVB44TN	5.32	RVB44TP	5.32	
		TOP	3/8" HB	RVB66TN	5.32	RVB66TP	5.32	
		TOP	1/2" HB	RVB88TN	5.32	RVB88TP	5.32	
 FPT X FPT Nylon Available		TOP	1/8" FPT	RVLF22TN	7.77	RVLF22TP	5.91	
		TOP	1/4" FPT	RVLF44TN	7.77	RVLF44TP	5.91	
		TOP	3/8" FPT	RVLF66TN	7.77	RVLF66TP	5.91	
		TOP	1/2" FPT	RVLF88TN	7.77	RVLF88TP	5.91	
 Push To Connect Nylon Available		TOP	1/4" PTC	RJG44TN	20.00	RJG44TP	25.21	
		TOP	3/8" PTC	RJG66TN	25.32	RJG66TP	25.32	
 MPT X HB		TOP	3/8" MPT X 3/8" HB			RVMB66TP	5.41	
		TOP	1/2" MPT X 1/2" HB			RVMB88TP	4.86	
2		COMPONENT(2)	MATERIAL	TEMP MIN	COLOR	PART #	LIST/EA	
		GASKET	BUNA	0 F	BLACK	RVM44GB	.55	
		GASKET	EPDM	-40 F	RED	RVM44GE	.55	
		GASKET	VITON	10 F	GREEN	RVM44GV	2.09	
3		COMPONENT(3)	MATERIAL	MESH*	MICRON+	ID" x L"	PART #	LIST/EA
 20  40  80  250 Non caged screens availalbe in sizes 20, 40, 80 & 250		SCREEN	ST STEEL	20	915	.94 x 2.63	RVM44520	3.00
		SCREEN	ST STEEL CAGED	20	915	"	RVM44520C	3.50
		SCREEN	ST STEEL	40	480	"	RVM44540	3.05
		SCREEN	ST STEEL CAGED	40	480	"	RVM44540C	3.50
		SCREEN	ST STEEL	80	178	"	RVM44580	3.64
		SCREEN	ST STEEL CAGED	80	178	"	RVM44580C	3.50
		SCREEN	ST STEEL CAGED	250	40	"	RVM445250C	4.73
		*Mesh is defined as the number of wires per linear inch measured from center of wire to center of wire. +Micron is defined as one thousandth of a millimeter.						
4		COMPONENT(4)	MATERIAL			PART #	LIST/EA	
 NYLON POLY CLEAR		BOWL	NYLON			RVM445BN	8.68	
		BOWL	POLYPRO			RVM445BP	8.32	
		BOWL	CLEAR NYLON			RVM445BC	7.73	

INTERMEDIATE STRAINER



FILTER AREA - 17.33 SQ IN

How To Order/Price

1. TOP	FPT(RVF)	TAB(RVT-POLY ONLY)		\$ _____
	3/8"(66)	1/2"(88)		
	3/4"(1212)	1"(1616)		
	POLY(P)	NYLON(N)		
2. GASKET	EPDM(E)	VITON(V)	BUNA(B)	\$ _____
3. SCREEN	20M(20)	40M(40)	80M(80)	\$ _____
4. BOWL	POLY(P)	NYLON(N)	CLEAR(C)	\$ _____

EXAMPLE: RVF 88 N V 40 C


Total \$ _____

 FPT X FPT Nylon Available  FPT X FPT (With Tab)		INTERMEDIATE STRAINER PARTS						
		COMPONENT(1)	SIZE/PORT	NYLON #	PRICE	POLYPRO #	LIST/EA	
		TOP	3/8" FPT	RVF66TN	11.18	RVF66TPN	6.41	
		TOP	1/2" FPT	RVF88TN	11.18	RVF88TPN	6.41	
		TOP	3/4" FPT	RVF1212TN	11.18	RVF1212TPN	6.41	
		TOP	1" FPT	RVF1616TN*	11.18	RVF1616TP*	6.45	
		TOP	3/8" FPT TAB			RVT66TP	7.45	
		TOP	1/2" FPT TAB			RVT88TP	7.45	
		TOP	3/4" FPT TAB			RVT1212TP	7.36	
		COMPONENT(2)	MATERIAL	TEMP MIN	COLOR	PART #	LIST/EA	
		GASKET	BUNA	0 F	BLACK	RVF66GB	1.14	
		GASKET	EPDM	-40 F	RED	RVF66GE	1.18	
		GASKET	VITON	10 F	GREEN	RVF66GV	4.68	
 Non caged screens availalbe in sizes 20, 40, 80, 100 & 250 Caged poly screens availalbe in sizes 20, 40 & 80 RVF6690PE  NYLON POLY CLEAR		COMPONENT(3)	MATERIAL	MESH*	MICRON+	ID" x L"	PART #	LIST/EA
		SCREEN	ST STEEL	20	915	1.49 x 3.75	RVF6620S	4.09
		SCREEN	ST STEEL	40	480	"	RVF6640S	4.09
		SCREEN	ST STEEL	80	178	"	RVF6680S	5.00
		SCREEN	ST STEEL	100	80	"	RVF66100	6.36
		SCREEN	ST STEEL	250	40	"	RVF66250	19.41
		SCREEN	POLYETHYLENE		90	1.00 x 3.52	RVF6690PE	8.59
		SCREEN	CAGED ST	20	915	1.49 x 3.75	RVF6620C	4.41
		SCREEN	CAGED ST	40	480	"	RVF6640C	4.41
		SCREEN	CAGED ST	80	178	"	RVF6680C	4.41
		SCREEN	CAGED ST	250	40	"	RVF66250C	7.18
		SCREEN	CAGED POLY	20	915	"	RVF6620P	9.14
		SCREEN	CAGED POLY	40	480	"	RVF6640P	9.45
		SCREEN	CAGED POLY	80	178	"	RVF6680P	9.45
		*Mesh is defined as the number of wires per linear inch measured from center of wire to center of wire. +Micron is defined as one thousandth of a millimeter						
 NYLON POLY CLEAR		COMPONENT(4)	MATERIAL	COLOR	PART #	LIST/EA		
		BOWL	NYLON	WHITE	RVF66BN	9.55		
		BOWL	POLYPRO	BLACK	RVF66BP	6.95		
		BOWL	CLEAR NYLON	CLEAR	RVF66BC	16.36		

*Mesh is defined as the number of wires per linear inch measured from center of wire to center of wire.

+Micron is defined as one thousandth of a millimeter

LARGE STRAINER



FILTER AREA:

1" - 29.73 SQ IN
1 1/4" - 31.84 SQ IN
1 1/2" - 38.27 SQ IN

How To Order/Price

1. TOP	FPT(RVF)	\$ _____
	1"(1616) 1 1/4"(2020) 1 1/2"(2424)	
	POLY(P) NYLON(N)	
2. GASKET	EPDM(E) VITON(V) BUNA(B)	\$ _____
3. SCREEN	20M(20) 40M(40) 80M(80)	\$ _____
4. BOWL	POLY(P) NYLON(N) CLEAR(C)	\$ _____

EXAMPLE: RVF 1616 N V 40 N

Total \$ _____

PLEASE NOTE: ALL LARGE STRAINERS
USE THE SAME GASKET & BOWL

LARGE STRAINERS

LARGE STRAINER PARTS						
COMPONENT(1)	SIZE/PORT	NYLON #	PRICE	POLYPRO #	LIST/EA	
TOP	1" FPT	RVF1616TN	23.50	RVF1616TP	17.23	
TOP	1 1/4" FPT	RVF2020TN	23.50	RVF2020TP	17.23	
TOP	1 1/2" FPT	RVF2424TN	23.50	RVF2424TP	17.23	
COMPONENT(2)	MATERIAL	TEMP MIN	COLOR	PART #	LIST/EA	
GASKET	BUNA	0 F	BLACK	RVF1616GB	1.23	
GASKET	EPDM	-40 F	RED	RVF1616GE	1.23	
GASKET	VITON	10 F	GREEN	RVF1616GV	7.23	
COMPONENT(3)	MATERIAL	MESH*	MICRON+	ID" x L"	PART #	LIST/EA
SCREEN-1"	ST STEEL	20	915	2.24 x 4.24	RVF161620	5.64
SCREEN-1"	ST STEEL CAGED	20	915	"	RVF161620C	8.36
SCREEN-1"	ST STEEL	40	480	"	RVF161640	5.64
SCREEN-1"	ST STEEL CAGED	40	480	"	RVF161640C	8.36
SCREEN-1"	ST STEEL CAGED	80	178	"	RVF161680C	8.36
SCREEN-1 1/4"	ST STEEL	20	915	2.24 x 4.54	RVF202020	6.27
SCREEN-1 1/4"	ST STEEL CAGED	20	915	"	RVF202020C	8.64
SCREEN-1 1/4"	ST STEEL	40	480	"	RVF202040	6.27
SCREEN-1 1/4"	ST STEEL CAGED	40	480	"	RVF202040C	8.64
SCREEN-1 1/4"	ST STEEL CAGED	80	178	"	RVF202080C	8.64
SCREEN-1 1/2"	ST STEEL	20	915	2.24 x 5.45	RVF242420	6.77
SCREEN-1 1/2"	ST STEEL CAGED	20	915	"	RVF242420C	8.86
SCREEN-1 1/2"	ST STEEL	40	480	"	RVF242440	6.77
SCREEN-1 1/2"	ST STEEL CAGED	40	480	"	RVF242440C	7.27
SCREEN-1 1/2"	ST STEEL CAGED	80	178	"	RVF242480C	8.86
*Mesh is defined as the number of wires per linear inch measured from center of wire to center of wire. +Micron is defined as one thousandth of a millimeter						
COMPONENT(4)	MATERIAL	COLOR	PART #	LIST/EA		
BOWL	NYLON	WHITE	RVF1616BN	18.86		
BOWL	POLYPRO	BLACK	RVF1616BP	11.41		
BOWL	CLEAR NYLON	CLEAR	RVF1616BC	30.09		



**SUCTION LINE
STRAINERS**
MOLDED PVC BASE
ST. STEEL SCREENS


<i>Fpt</i>	<i>Mesh</i>	<i>Part #</i>	<i>List/E</i>
1/4	20	RV663-20	5.82
1/4	40	RV663	5.82
1/4	80	RV663-80	6.35
1/4	100	RV663-100	6.35
3/8	40	RV6631	6.42
3/8	80	RV6631-80	6.42
1/2	40	RV6632	7.66
1/2	80	RV6632-80	7.66
3/4	40	RV6633	8.37
1	40	RV6634	12.17
1 1/2	40	RV6636	14.37



Y STRAINERS
POLYPROPYLENE BODY
EPDM GASKET
(VITON AVAILABLE)
ST. STEEL SCREENS
FPT THREADS

<i>Fpt</i>	<i>Part #</i>	<i>List/E</i>
1/2	YST88PE_P	CALL
3/4	YST1212PE_P	CALL
1	YST1616PE_P	CALL
1 1/4	YST2020PE_P	CALL
1 1/2	YST2424PE_P	CALL
2	YST3232PE_P	CALL
3	YST4848PE_P	CALL

Please specify screen when ordering. See parts list below for sizes.



Y STRAINER PARTS

COMPONENT(1,2,6)		SIZE	PART #		LIST/E
BODY, CAP & EPDM GASKET		1/2	YST88-B/C		43.29
BODY, CAP & EPDM GASKET		3/4	YST1212-B/C		43.29
BODY, CAP & EPDM GASKET		1	YST1616-B/C		43.29
BODY, CAP & EPDM GASKET		1 1/4	YST2020-B/C		43.29
BODY, CAP & EPDM GASKET		1 1/2	YST2424-B/C		97.03
BODY, CAP & EPDM GASKET		2	YST3232-B/C		97.03
BODY, CAP & EPDM GASKET		3	YST4848-B/C		872.44
COMPONENT(2) MATERIAL		SIZE	PART #		LIST/E
GASKET	VITON	1/2 & 3/4	YST88-GV		13.54
GASKET	VITON	1 & 1 1/4	YST1616-GV		15.61
GASKET	VITON	1 1/2 & 2	YST2424-GV		30.93
GASKET	VITON	3	YST4848-GV		71.55
COMPONENT(5) MAT	SIZE	MESH	MICRON	PART #	LIST/E
SCREEN	ST STEEL	1/2 & 3/4	20	YST88-20	55.54
SCREEN	"	"	40	YST88-40	50.44
SCREEN	"	"	80	YST88-80	59.95
SCREEN	ST STEEL	1 & 1 1/4	20	YST1616-20	55.54
SCREEN	"	"	40	YST1616-40	56.38
SCREEN	"	"	80	YST1616-80	54.43
SCREEN	ST STEEL	1 1/2 & 2	6	YST3232-6	112.20
SCREEN	"	"	8	YST3232-8	93.75
SCREEN	"	"	12	YST3232-12	107.74
SCREEN	"	"	20	YST3232-20	107.74
SCREEN	"	"	30	YST3232-30	99.84
SCREEN	"	"	50	YST3232-50	107.74
SCREEN	"	"	80	YST3232-80	102.04
SCREEN	"	"	120	YST3232-120	118.53
SCREEN	POLYPRO	"	20	YST3232-20	107.74
SCREEN	POLYPRO	"	50	YST3232-50	107.74
SCREEN	ST STEEL	3	4	YST4848-4	328.32
SCREEN	"	"	8	YST4848-8	328.32
SCREEN	"	"	12	YST4848-12	328.32
SCREEN	"	"	20	YST4848-20	298.42
SCREEN	"	"	50	YST4848-50	298.42